



U.S. Department
of Transportation
**Research and
Special Programs
Administration**

400 Seventh St., S.W.
Washington, D.C. 20590

OCT 3 2001

DOT-E 12248

| |
|----------------------------------|
| EXPIRATION DATE: August 31, 2003 |
|----------------------------------|

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: Ciba Specialty Chemicals Corporation
High Point, North Carolina
2. PURPOSE AND LIMITATION:
 - a. This exemption authorizes the transportation in commerce of certain DOT Specification IM-101 steel portable tanks containing a corrosive solid, flammable, material. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
 - b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 172.101 Hazardous Materials Table, Column 7 (Special Provisions), in that a DOT Specification IM 101 steel portable tank is not authorized except as specified herein.
5. BASIS: This exemption is based on the application of Ciba Specialty Chemicals Corporation dated March 23, 1999, and supplemental information dated September 22, 2000, February 5, 12 and 28, and July 19, 2001, submitted in accordance with § 107.105 and the public proceeding thereon.

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

| Proper Shipping Name/ Hazardous Materials Description | Hazard Class/ Division | Identi- fication Number | Packing Group |
|--|------------------------------|-------------------------------|------------------|
| Corrosive solid, flammable, n.o.s. (sodium t-pentylate and t-pentyl alcohol) | 8 | UN2921 | II |

7. SAFETY CONTROL MEASURES:

a. PACKAGING - Packaging prescribed is a DOT Specification IM 101 stainless steel portable tank which conforms with IM Tank Configuration Code T15 as described in § 172.102(c)(7). Additionally, each tank must have a minimum test pressure of 6 bars, a steam-heating jacket and must be mounted in an ISO frame.

b. TESTING - Each tank must be requalified in accordance with § 173.32b for DOT Specification IM 101 portable tanks.

c. OPERATIONAL CONTROLS -

(1) After loading, the material authorized by this exemption must be cooled for a sufficient amount of time to ensure that it is a solid prior to transportation in commerce.

(2) Amyl alcohol may be transported in a tank authorized by this exemption without removing the exemption number from the tank.

8. SPECIAL PROVISIONS:

a. A person who is not a holder of this exemption who receives a package covered by this exemption may reoffer it for transportation provided no modification or change is made to the package or its contents and it is reoffered for transportation in conformance with this exemption and the HMR.

b. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.

c. Each portable tank must be marked "DOT-E 12248" on both sides near the middle as specified in §§ 172.302(b) and (c).


9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle, rail freight and cargo vessel.
10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard each cargo vessel or motor vehicle used to transport packages covered by this exemption.
11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued in Washington, D.C.:



Robert A. McGuire
Associate Administrator for
Hazardous Materials Safety

OCT 3 2001

(DATE)

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590.
Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

Copies of exemptions may be obtained from the AAHMS, U.S. Department of Transportation, 400 7th Street, S.W., Washington, DC 20590-0001, Attention: Records Center, 202-366-5046.

PO: PTolson